


Speed Cushions of various dimensions may be easily constructed utilizing patented tongue and groove 18" x 42"

interlocking rubber modules. This two directional tongue and groove interlocking module system provides additional connection between the modules and increases stability of the installed speed cushion. Each module is bolted to the road using six fusion coated rust resistant lag bolts through a plastic shield installed in the pavement. All installation hardware and anchor adhesive are supplied with each cushion.

Patented Interlocking tongue and groove module



## SPECIFICATIONS

### Dimensions of the tongue and groove modules:

**Width:** 18" (+/- 1/16")

**Length:** 42" (+/- 1/8")

**Thickness:** 3" (+/- 1/8")

### Dimensions of the Cushions are changeable by

**Width:** 18" increments

**Length:** 42" increments

### Standard Dimensions of Speed Cushions

7' x 6' x 3" • 8 modules

10.5' x 6' x 3" (Flat surface 72" x 42") • 12 modules

14' x 6' x 3" (Flat surface 72" x 84") • 16 modules

21' x 6' x 3" (Flat surface 72" x 126") • 20 modules

Entrance and exit gradient: 1:15 (7%) Lip: .25"

Side gradient: 1:3 (35%) Lip: .25"

### Physical properties:

**Material:** Compression molded 100% recycled synthetic and natural rubber composite

**Tensile strength:** minimum 500 psi

**Shore hardness:** minimum 70A


**Specific gravity:** 1.1

**Deformation Rate:** None; 100% recovery

**Skid Resistance:** 89 (Dry)

**Markings:** All markings are embedded into the rubber during the manufacturing process and have reflective qualities. The MUTCD pattern markings (as shown in drawings) are available in white only.


MUTCD Modified Chevron Pattern



## Modified MUTCD




7' L x 6' W x 3" H




SC-070603-2M

10.5' L x 6' W x 3" H



SC-1050603-M


10.5' L x 6' W x 3" H



SC-1050603-2M


Also available in

14' L x 6' W x 4" H  
21' L x 6' W x 3" H




SC-070603-M

14' L x 6' W x 3" H



SC-140603-M

14' L x 6' W x 3" H



SC-140603-2M